

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

## REQUEST FOR FILING APPLICATION

Under Rule 53(a), (b) & (f)

(No Filing Fee or Oath/Declaration)

(Do NOT use for Provisional or PCT Applications)

Use for Design or Utility Applications

PATENT  
APPLICATION

## RULE 53(f) NO DECLARATION

Assistant Commissioner of Patents  
and Trademarks  
Washington, DC 20231

Atty. Dkt.

PM 12607

M#

265981

Client Ref

Date:

September 28, 2000

Sir:

1. This is a Request for filing a new Patent Application ☐ Design ☒ Utility) entitled:

2. (Complete) Title: METHOD OF AND SYSTEM FOR PROCESSING TRANSACTIONS

without a filing fee or Oath/Declaration but for which is enclosed the following:

3. ☒ Abstract 1 page(s).

4. 22 Pages of Specification (only spec. and claims); 5. ☐ Specification in non-English language

6. 27 Numbered claim(s); and

7. ☒ Drawings: 3 sheet(s) ☒ 1 set informal; 8. ☐ formal of size: ☐ A4 ☐ 11"

9. DOMESTIC/INTERNATIONAL priority is claimed under 35 USC 119(e)/120/365(c) based on the following provisional, nonprovisional and/or PCT international application(s):

Application No.	Filing Date	Application No.	Filing Date
(1) 60/156,814	09/29/99	(2)	
(3)		(4)	
(5)		(6)	

10. FOREIGN priority is claimed under 35 USC 119(a)-(d)/365(b) based on filing in

Application No.	Filing Date	Application No.	Filing Date
(1)		(2)	
(3)		(4)	
(5)		(6)	

11.          (No.) Certified copy (copies): ☐ attached; ☐ previously filed (date)           
in U.S. Application No.          /          filed on         

12. ☐ This is a reissue of Patent No.         

13. ☒ See top first page re prior Provisional, National, International application(s) (X box only if info is there and do not complete corresponding item 14 or 15.)

14. ☐ **Amend the specification** by inserting before the first line -- This is a ☐ Continuation-in-Part  
☐ Divisional ☐ Continuation ☐ Substitute Application (MPEP 201.09) of:

14(a) ☐ National Appln. No.          /          filed          . - - (M#         )

14(b) ☐ International Appln. No. PCT/         filed          which designated the U.S. - -

15. ☐ **Amend the specification** by inserting before the first line: --This application claims the benefit of U.S. Provisional Application No. 60/        , filed          .--

16. Extension to date: ☐ concurrently filed ☐ not needed ☐ previously filed

17. ☐ Prior application is assigned to

by Assignment recorded \_\_\_\_\_ Reel \_\_\_\_\_ Frame \_\_\_\_\_

18. ☐ Attached:

19. This application is made by the following named inventor(s) (Double check instructions for accuracy.):

(1) Inventor	Neal	GOLDSTEIN	
	First	Middle Initial	Family Name
Residence	Palo Alto	California	
	City	State/Foreign Country	Country of Citizenship
Post Office Address			
(include Zip Code)			

(2) Inventor	Adam	RICHARDS	
	First	Middle Initial	Family Name
Residence	San Francisco	California	
	City	State/Foreign Country	Country of Citizenship
Post Office Address			
(include Zip Code)			

(3) Inventor	David	SHERR	
	First	Middle Initial	Family Name
Residence	Haddonfield	New Jersey	
	City	State/Foreign Country	Country of Citizenship
Post Office Address			
(include Zip Code)			

(4) Inventor	David	LEVY	
	First	Middle Initial	Family Name
Residence	San Francisco	California	
	City	State/Foreign Country	Country of Citizenship
Post Office Address			
(include Zip Code)			

(5) Inventor	Chalon	MULLINS	
	First	Middle Initial	Family Name
Residence			
	City	State/Foreign Country	Country of Citizenship
Post Office Address			
(include Zip Code)			

20. NOTE: FOR ADDITIONAL INVENTORS, check box ☐ and attach sheet with same information regarding additional inventors.

Pillsbury Madison & Sutro LLP  
Intellectual Property Group

1100 New York Avenue, NW.  
Ninth Floor  
Washington, DC 20005-3918  
Tel: (202) 861-3000  
Atty/Sec: JEJ/KAC

By: Atty: Jonathan E. Jobe, Jr.

Reg. No. 28,429

Sig:

Fax: (202) 822-0944  
Tel: (619) 544-3102

NOTE: File in duplicate with 2 post card receipts (PAT-103) & attachments

# APPLICATION UNDER UNITED STATES PATENT LAWS

Atty. Dkt. No. PM 12607-265981

(M#)

Invention: **METHOD OF AND SYSTEM FOR PROCESSING TRANSACTIONS**

Inventor (s): **Neal GOLDSTEIN; Adam RICHARDS; David SHERR, David LEVY, Chalon MULLINS**

Pillsbury Madison & Sutro LLP  
Intellectual Property Group  
1100 New York Avenue, NW  
Ninth Floor  
Washington, DC 20005-3918  
Attorneys  
Telephone: (202) 861-3000

## CERTIFICATE OF EXPRESS MAILING UNDER 37 C.F.R. §1.10

I hereby certify that this correspondence (along with any paper referred to as being attached or enclosed) is being mailed via "Express Mail Post Office to Addressee" service of the United States Postal Services (Express Mail label No. EL604410K0405) on the date shown below in an envelope addressed to the Commissioner of Patents & Trademarks, U.S. Patent and Trademark Office, Washington, D.C., 20231.

Dated: 9/28/00

By: KA Cabella

## This is a:

- ☐ Provisional Application
- ☒ Regular Utility Application
- ☐ Continuing Application
  - ☒ The contents of the parent are incorporated by reference
- ☐ PCT National Phase Application
- ☐ Design Application
- ☐ Reissue Application
- ☐ Plant Application
- ☐ Substitute Specification
  - Sub. Spec Filed \_\_\_\_\_
  - in App. No. \_\_\_\_\_ / \_\_\_\_\_
- ☐ Marked up Specification re
  - Sub. Spec. filed \_\_\_\_\_
  - In App. No. \_\_\_\_\_ / \_\_\_\_\_

## SPECIFICATION

**METHOD OF AND SYSTEM FOR PROCESSING TRANSACTIONS**CROSS-REFERENCE TO RELATED APPLICATION

The present application claims the benefit of U.S. Provisional Application 60/156,814, filed September 29, 1999.

5

FIELD OF THE INVENTION

The present invention relates generally to the field of electronic commerce. More particularly, the present invention relates to a method of and system for processing transactions, such as order entry and execution, and inquiries, such as order status and account information inquiries. The present invention provides increased availability to customers, increased reliability of execution, and increased auditability of the books and records of a firm.

10

15

DESCRIPTION OF THE PRIOR ART

Currently, a substantial amount of business is conducted using electronic commerce. There have been several phases in the development of electronic commerce. In each of these phases, more flexibility has been added to the way systems are constructed and the way systems perform has changed radically for both businesses and customers.

20

25

30

Prior to the development of the Internet, the typical structure of systems was to build a set of initially monolithic back-end servers, and then add new services in front of these to communicate with clients. A three-tier model of computing evolved, with an intermediate application server that addressed the problems of manageability and scalability as the number of clients grew. In practice, these systems were never as simple as the architectural diagrams made them out to be. They generated islands of

computing, each with incompatible services and clusters of inaccessible data. This led to a spider's web of interconnected activity and ensured that little problems at one end of the network became large  
5 problems throughout the network. A new class of software was developed to integrate heterogeneous services.

True electronic commerce began with Web sites, brochures, and manual order entry. Initially, the Web  
10 was treated as just another client. There was a class of simple application Web servers that created its own data and used its own protocols. The simplest application to write were read-only brochure and e-mail order entry systems, which allowed more  
15 efficient distribution of information. They did not, however, have a significant impact on the customer experience and did not change consumer behavior. Competition among early adopters centered around who had the most seductive graphics and interactive  
20 content. These systems typically were flashy front-ends attached to unchanged back-end systems. Much of the real work was still done by people.

For many industries, the first generation model created little customer value. This was true for the  
25 stock brokerage industry. The first generation companies did not deliver real-time products electronically. The brokerage industry operates in a real-time world where prices change continuously and transaction completion requires integration with  
30 market data providers, trading venues, and settlement agencies. This mandates the integration of multiple inputs, processes and outputs.

In the second generation of electronic commerce, the entire customer interaction, from entering an  
35 order to delivering the end result, is done online. The customer becomes acutely aware of the underlying

frailties of the assorted systems that perform the subprocesses of the order. The design of these systems reflects to customers the status of the respective processes.

5           Prior to the Internet, old-line financial institutions monopolized access to information. They turned the resulting customer ignorance about products and performance into profits. Access to information has allowed customers to disintermediate commissioned  
10 brokers as information distributors and take control of their financial lives. The Internet has empowered customers with more information and choices. The Internet economy has shifted the balance of power to customers.

15           Current electronic commerce systems have two salient characteristics. First, they are divided primarily along business and application ownership lines. The system and application boundaries are determined exclusively by the organization that owns  
20 the application or service. The second characteristic is that they are built with data control residing in physical control. Data belongs to a particular business and that business determines its location, which is forced accessing applications to choose  
25 between deployment on that same platform or inferior performance. The combination of these two factors has led to a tightly coupled, monolithic, centralized model with a classic two- or three-tiered client/server architecture.

30           Today, almost all corporate data is available from only one, very large system, and clients must submit requests to that system to both update and read data. The availability of the central system determines the availability of the entire system. The  
35 central system holds all the corporate data and the access to it. The present monolithic system is

limited both in terms of availability and scalability. The availability of the central system determines the availability of the entire system. The central system holds all the corporate data and controls the access to it. The scalability of the total system is determined by the scalability of the central system.

Currently existing electronic commerce systems allow for continuously available, but not real-time, status of orders, or continuously available order entry without rapid electronic delivery from open markets. However, no current system maintains a continuously available, scalable order entry system for a business that has rapid electronic delivery from open markets together with real-time order status.

#### SUMMARY OF THE INVENTION

The present invention provides a method of and system for conducting electronic commerce. In the system of the present invention, an enterprise is segmented into a single firm side system, and multiple customer facing and street side systems. The firm side system maintains a single system of record for the enterprise. The firm side system settles orders, maintains customer account balances, and generally maintains the books and records of the enterprise. The firm side system maintains authoritative storage for the books and records of the enterprise. The firm side system has read-only access to data records replicated from the customer facing and street side systems. The system replicates data from the authoritative data storage of the firm side system to read-only storage associated with the customer facing systems and the street side systems.

The customer facing systems provide an interface between the enterprise and the customer for order entry, order status, and account and market

information. Each customer facing system has associated therewith authoritative data storage and read-only data storage. The customer facing system writes to its associated authoritative data storage.

5 The system replicates data records written to the authoritative data storage of any one of the customer facing systems to the authoritative data storage of each of the other customer facing systems. The system also replicates data records written the authoritative data storage of any one of the customer facing systems to the read-only data storage of the firm side system.

10 The street side systems are in communication with the customer facing systems. The street side systems provide an interface between the enterprise and various markets. Each street side system has associated therewith authoritative data storage that is written to by the street side system and read-only data storage. The system replicates data records written to the authoritative data storage of any one of the street side systems to the authoritative data storage of each of the other street side systems and to the read-only data storage of each of the customer facing systems and firm side system.

15 The system of the present invention writes and replicates data records to the authoritative data storage of the customer facing systems and the street side systems using an insert only/insert always strategy, without regard referential integrity and data normalization. Each data record is written or replicated as separate line in the data storage. The inquiry application in the customer facing system aggregates the data records to determine the true state of a transaction.



### BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a block diagram of a system according to the present invention.

5 Figure 2 is a diagram of data management and replication according to the present invention.

Figure 3 is a pictorial view illustrating a transaction record format according to the present invention.

10

### DESCRIPTION OF THE PREFERRED EMBODIMENT

Referring now to the drawings, and first to FIG. 1, a system according to the present invention is designated generally by the numeral 11. According to 15 the present invention, an enterprise is segmented into a customer facing side 13, a firm side 15, and a street side 17. The system of the present invention finds application to a retail brokerage enterprise.

Customer side 13 is implemented in a plurality of 20 customer side utilities 19. Each customer side utility 19 includes applications for interacting with customers or customers' agents. The applications of the customer side utility 19 include order entry applications and query applications for providing 25 information such as order status, balances, positions, market data, and the like. Customer side utilities 19 are adapted to respond to asynchronous requests from customers received through gateways indicated generally at 21.

30 Customers can communicate with customer side utilities 19 using customer PC's connected to the Internet using standard Web browser-enabled applications. Customers may also communicate asynchronous requests to customer side utilities 19 35 through the public switch telephone network using telephones 25. Gateways 21 may communicate with

telephones 25 through voice response units or DTMF-enabled applications. Additionally, customers may communicate with customer side utilities 19 through intermediary retail sales representatives or brokers using personal computers 27 running Web based applications, terminal emulator programs, or the like.

The street side of the system of the present invention is implemented in a plurality of street side utilities 29. In the retail brokerage example of the present invention, street side utilities 29 provide all functionality necessary for executing customer orders. Thus, each street side utility 29 is adapted to communicate asynchronously and diversely through a network indicated generally at 31 with exchanges, indicated generally at 33, mutual fund companies, indicated generally at 35, and the like.

According to the present invention, the firm side of the enterprise is implemented in a firm side utility 37. Firm side utility 37 has access to the authoritative source of data comprising the books and records of the enterprise. Among other things, firm side utility 37 includes applications for settling orders, updating balances, and the like. Firm side utility 37 is adapted to perform end-of-day accounting, bulk processing, and it comprises the source of business intelligence for the enterprise. In the preferred embodiment, firm side utility 37 is implemented using a Geographically Distributed Parallel Sysplex (GDPS) infrastructure available from International Business Machines Corporation. The GDPS system provides failover redundancy to maintain the mission critical records of the firm.

Customer side utilities 19, firm side utility 15, and street side utilities 17 are interconnected for asynchronous communication with each other by a network indicated generally at 39. A customer request

received at a gateway 21 is routed to a customer side utility. In the case of an order, the request is forwarded to a street side utility 29 for execution.

Referring now to FIG. 2, there is shown a block diagram of the data architecture system 11. Each customer side utility 19 has associated therewith customer side writable data storage 41. Customer side writable data 41 has a limited set of data that is updated only by a customer side utility 19. Customer side writable data is authoritative for customer side utilities 19.

According to the present invention, whenever a customer side utility 19 writes a data record to its associated customer side writable data 41, the system of the present invention replicates that data record to each of the other customer side writable data storage systems 41.

Data records written to customer side writable data 41 are also replicated to customer side replicated data 43, which is accessible by firm side utility 37. Firm side utility 37 uses customer side replicated data 43 in its work to settle orders, update balances, and the like. Firm side utility 37 uses customer side replicated data, and other data to settle orders, update balances, and the like. Firm side utility 37 writes the authoritative data of the firm to a single firm writable data storage 45. Firm writable data 45 is replicated to firm replicated data 47 associated with each customer side utility 19. Firm replicated data 47 is read-only by customer side utilities 19. Customer side utilities 19 access firm replicated data 47, together with customer side writable data 41 in order to respond to customer inquiries.

Each street side utility 29 has associated therewith street side writable data storage 49.

Street side writable data 49 is written to by street side utilities 29 and it comprises the authoritative data for street side utilities 29. Whenever a data record is written to street side writable data 49, that data record is replicated to each street side writable data 49. Additionally, data records written to street side writable data 49 are replicated to street side replicated data 51 associated with firm side utility 37 and street side replicated data 53 associated with customer side utilities 19. Basic street side data associated with order status and execution is made available immediately through replication to customer side utilities 19. Additionally, firm side writable data 45 is replicated to firm replicated data 55 associated with street side utilities 29.

Figure 3 illustrates the format of a transaction data record according to the present invention. Each transaction record includes a transaction identifier or number field 71. Each customer side utility 19 has a unique transaction numbering set or scheme so that the same transaction number is not assigned to more than one transaction. When a customer side utility 19 receives a transaction request from a customer, the receiving customer side utility assigns a transaction number to the transaction. All data records relating to the transaction are identified by the transaction number.

A transaction data record also includes a transaction type field 73, which identifies the type of transaction. In the retail securities environment, examples of transaction types include buy and sell orders. Those skilled in the art will recognize other transaction types, such as limit orders and the like. The status of the transaction is reflected in a status field 75. In the retail securities environment, for

purchase and sale transactions, the status may be placed, canceled, and filled. Status field 75 includes a timestamp, which indicates the time at which the order was placed, canceled, or filled. The timestamp information is used to resolve conflicts. For example an order may be nearly simultaneously canceled and filled. The status change with the earlier timestamp will take precedence over the conflicting status change.

Other information concerning the transaction or status change is contained in an other information field 77. Examples of other information includes the number of shares, the company, and the transaction price.

According to the present invention, data records are written to customer side writable data 41 using an insert-only/insert-always strategy, as opposed to an update strategy, without regard to referential integrity or data normalization. More specifically, each data record is written as a separate row in a database rather than as an update.

The problem with an update strategy is that there must be a record to update. For example, when an order is placed, an order record is created.

Whenever the order's state changes, the order record gets updated. However, in a distributed environment, with asynchronous linkages among systems, state changes may not occur in the anticipated order. An update event may occur or be received at a system without a record to change. The customer may gain access to the system through any of the customer side utilities 19. Accordingly, the customer may not interact with the same customer side utility on each access. Since transactions are processed and data records are replicated at finite speed, there are certain latencies inherent in the system. Also, there

may be periodic failures or interruptions in links over which internal messages are transmitted or data is replicated. Thus, the data associated with a particular customer side utility 19 may not be complete or current.

Additionally, in current systems, a record that does not exist cannot be changed. Databases enforce constraints of this type through referential integrity. According to referential integrity, there is a relationship between two rows of a database that refer to each other. If the required relationship refers to something that does not exist, the database will not allow the update to occur. According to the present invention, each data record is inserted with regard to referential integrity.

Normalization aims at eliminating duplication of data. Instead of keeping the same data in multiple locations, in current systems the data is defined in one place, then it is referred to from any other place that is related to it. If the system of the present invention used normalized data in the replicated systems, then updates to an order would refer to the original order rather than duplicate that information. Because updates can arrive at different rates, the possibility exists that the original order information may not be there to refer to. Therefore instead of normalizing data, the system of the present invention duplicates information so that each data record carries with it essential information about the order. Thus, the customer side utility 19 can display the order information that it has no matter in which order the data records relating to the order arrive.

According to the present invention, the inquiry applications of customer side utilities 19 contain logic for aggregating the data records with respect to a single transaction to determine the true or best

estimate of the state of the transaction. For example, if the data storage associated with a particular customer side utility contains a data record indicating that an order has been filled, but  
5 no data record indicating that the order has been placed, the customer side utility will report that the order has been filled. Similarly, if the data storage contains records indicating that an order has been both filled and canceled, the customer side utility  
10 will report that the order has been filled or canceled based upon which event occurred earlier.

It may be seen that the system of the present invention provides improved availability and ensures scalability while retaining flexibility. Because the system of the present invention uses smaller  
15 components, and asynchronous links to couple them, the system of the present invention is split into simpler parts that will each be more reliable. In addition, the customer side utilities 19 are continuously  
20 available by replication and load balancing among them. Customer side utilities 29 communicate with other parties by diverse routing so that a failure of one system does not stop the flow requests and responses.

Customer side utilities 19 and street side utilities 29 are independently scalable. Because customer side utilities 19 are replicated for availability, they may be scaled by further replicating more systems. The load on the firm side  
30 utility 37 is reduced because the inquiry load from customers and the communication with other parties is removed. Therefore, the size of the firm side utility system 37 can be reduced to a sustainable point on the technology curve. The street side systems 29 can be  
35 scaled independently and replicated just like the customer side utility systems 19.

From the foregoing, it may be seen that the present invention provides a continuously available, scalable order entry system for a business that has rapid electronic delivery from open markets together with real-time order status. The customer-facing and street-facing parts of the enterprise may be scaled independently to meet increasing volumes of transactions and inquiries. Order state data are replicated across the system so that real-time information is available to the customers.

The present invention has been illustrated and described with respect to presently preferred embodiments. Those skilled in the art will recognize alternative embodiments, given the benefit to the foregoing disclosure. Accordingly, the foregoing disclosure is intended for purposes of illustration rather than limitation.



WHAT IS CLAIMED IS:

1. An electronic commerce system, which comprises:  
a plurality of customer facing systems, each of  
said customer facing systems having associated  
therewith authoritative data that is writable to by  
5 said customer facing system and read-only data; and,  
means for replicating data written to said  
authoritative data of any one of said customer facing  
systems to the authoritative data of each of the other  
customer facing systems.
2. The system as claimed in claim 1, including:  
a firm side system, said firm side system having  
associated therewith authoritative data that is  
writable to by said firm side system and read-only  
5 data;  
means for replicating data written to said  
authoritative data of said firm side systems to the  
read-only data of each of said customer facing  
systems.
3. The system as claimed in claim 2, including:  
means for replicating data written to said  
authoritative data of any one of said customer facing  
systems to the read-only data of firm side system.

4. The system as claimed in claim 1, including:

a plurality of street side systems, each of said street side systems having associated therewith authoritative data that is writable to by said street side system and read-only data; and,

means for replicating data written to said authoritative data of any one of said street side systems to the authoritative data of each of the other street side systems.

5. The system as claimed in claim 4, including:

a firm side system, said firm side system having associated therewith authoritative data that is writable to by said firm side system and read-only data;

means for replicating data written to said authoritative data of said firm side systems to the read-only data of each of said street side systems.

6. The system as claimed in claim 5, including:

means for replicating data written to said authoritative data of any one of said street side systems to the read-only data of said firm side system.

7. The system as claimed in claim 5, including:

means for replicating data written to said authoritative data of any one of said street side systems to the read-only data of each of said customer facing systems.

8. An electronic commerce system, which comprises:  
a plurality of customer facing systems, each of  
said customer facing systems including means for  
processing customer orders and means for processing  
customer inquiries, and each of said customer facing  
systems having associated therewith authoritative data  
that is writable to by said customer facing system and  
read-only data; and,

means for replicating data records written to  
said authoritative data of any one of said customer  
facing systems to the authoritative data of each of  
the other customer facing systems.

9. The system as claimed in claim 1, including:  
a firm side system, said firm side system having  
associated therewith authoritative data that is  
writable to by said firm side system and read-only  
data;

means for replicating data written to said  
authoritative data of said firm side systems to the  
read-only data of each of said customer facing  
systems.

10. The system as claimed in claim 9, including:  
means for replicating data records written to  
said authoritative data of any one of said customer  
facing systems to the read-only data of firm side  
system.

11. The system as claimed in claim 8, including:

a plurality of street side systems, each of said street side systems including means for executing orders received from a customer facing system, and each of said street side systems having associated therewith authoritative data that is writable to by said street side system and read-only data; and,

means for replicating data records written to said authoritative data of any one of said street side systems to the authoritative data of each of the other street side systems.

12. The system as claimed in claim 11, including:

a firm side system, said firm side system having associated therewith authoritative data that is writable to by said firm side system and read-only data;

means for replicating data written to said authoritative data of said firm side systems to the read-only data of each of said street side systems.

13. The system as claimed in claim 12, including:

means for replicating data records written to said authoritative data of any one of said street side systems to the read-only data of said firm side system.

14. The system as claimed in claim 12, including:

means for replicating data records written to said authoritative data of any one of said street side systems to the read-only data of each of said customer facing systems.

15. The system as claimed in claim 14, wherein said means for processing customer orders includes:

means for creating a transaction record for said order; and,

5 means for writing said transaction record to the authoritative data associated with said customer facing system.

16. The system as claimed in claim 14, wherein said means for responding to customer inquiries includes:

means for aggregating transaction records in said authoritative data to determine status of a  
5 transaction.

003260-4892/960

17. An electronic commerce system, which comprises:  
a plurality of customer facing systems, each of  
said customer facing systems including means for  
processing customer orders and means for processing  
5 customer inquiries, and each of said customer facing  
systems having associated therewith authoritative data  
that is writable to by said customer facing system and  
read-only data;

10 a plurality of street side systems, each of said  
street side systems including means for executing  
orders received from a customer facing system, and  
each of said street side systems having associated  
therewith authoritative data that is writable to by  
said street side system and read-only data; and,

15 means for replicating data records written to  
said authoritative data of any one of said street side  
systems to the authoritative data of each of the other  
street side systems; and,

20 means for replicating data records written to  
said authoritative data of any one of said customer  
facing systems to the authoritative data of each of  
the other customer facing systems.

18. The system as claimed in claim 17, including:

a firm side system, said firm side system having associated therewith authoritative data that is writable to by said firm side system and read-only data;

means for replicating data written to said authoritative data of said firm side system to the read-only data of said customer facing system and said street side system;

means for replicating data records written to said authoritative data of said customer facing systems to said read-only data of said firm side system; and,

means for replicating data records written to said authoritative data of said street side system to said read-only data of said firm side system.

19. The system as claimed in claim 17, wherein said means for processing customer orders includes:

means for creating a transaction record for said order; and,

means for writing said transaction record to the authoritative data associated with said customer facing system.

20. The system as claimed in claim 17, wherein said means for responding to customer inquires includes:

means for aggregating transaction records in said authoritative data associated with said customer facing system to determine status of a transaction.

21. A method of processing customer transactions,  
which comprises the steps of:

receiving a customer transaction request at one  
customer facing system of a plurality of customer

5 facing systems;

creating a record of said transaction;

writing said transaction record to data storage  
associated with said one customer facing system;

10 and replicating said transaction record to data  
storage data associated with each of the other  
customer facing systems of said plurality of customer  
facing systems.

22. The method as claimed in claim 21, including the  
step of:

5 sending said transaction request from said one  
customer facing system to one of a plurality of street  
side systems;

executing said transaction request at said one  
street side system;

creating a record of said transaction execution;

10 writing said transaction execution record to data  
storage associated with said one street side system;  
and,

replicating said transaction execution record to  
data storage associated with each of said customer  
facing systems.

23. The method as claimed in claim 22, wherein said  
transaction request is a buy order.



5           determining status of a transaction based upon  
transaction records in the data storage associated  
with said one customer facing system.

## METHOD OF AND SYSTEM FOR PROCESSING TRANSACTIONS

ABSTRACT OF THE DISCLOSURE

A method of and system for conducting electronic commerce segments an enterprise is segmented into a single firm side system, and multiple customer facing and street side systems. The firm side system maintains a single system of record for the enterprise. The customer facing systems provide an interface between the enterprise and the customer. The street side systems are in communication with the customer facing systems. The street side systems provide an interface between the enterprise and various markets.






FIG. 2

✓ 77

TRANSACTION NUMBER	TRANSACTION TYPE	STATUS	OTHER INFORMATION
	BUY	PLACED:TIME	
	SELL	CANCELED:TIME	
		FILLED:TIME	

FIG. 3